

# 1. Current Water Resources, Water Related Disasters as well as the Role of Agro-environment Education in China

YU Xinxiao<sup>1</sup>, XIE Chunhua and ZHAO Yutao

## Abstract

The general situation of Chinese water resource and water related disasters are introduced in the paper. China has a severe water resource situation until 2050, only  $2.7 \times 10^{12} \text{m}^3$  surface water available now every year, with increasing serious water pollution. Eco-environment is in deterioration under a great water deficit. Torrent, drought, soil and water loss and water pollution are dominant water related disasters in China, they have affected our productivity, daily life and the whole eco-environment. Water pollution is comparatively better than before, but it is also severe.

Current situation of agro-environment education is closely followed. China has 44 middle and high agricultural and forestry schools, with 15 corresponding disciplines. High agro-environment education mainly exists in soil and water conservation and combating desertification, agricultural resources and environment, horticulture in 53 schools. By 50 years of development, Chinese forestry environment education accompanied with water resource and environment related discipline has formed an omnibearing cultivation system, which benefits Chinese people to manage water resources rationally and improves their ability to combat disasters greatly.

**Key Words:** Water resources, Water related disasters, High agro-environment education, Forestry education, China

Water is a lifeline for human being, as well as for agriculture and economic construction, which is also basic for national welfare and people's livelihood. At the initial of 21 century, it is a focus for central government and the State Council, and also for the whole society. How to deal with water shortage and water related disaster (such as flood, water pollution) immediately, and how to use water rationally are key issues for agro-environment research in China for now and the near future. High school plays a main role in cultivation and agro-environment education in China, and they provide powerful science and technology support for water resource research and disaster harness.

## 1 Water resource in China

### 1.1 Current situation of water resource in China

#### 1.1.1 Distribution

##### 1 Rivers

There are many rivers in China, and 5000 rivers with the area larger than  $100 \text{ km}^2$ , 1500 rivers larger than  $1000 \text{ km}^2$ . For landform, they distribute regionally, most of them are located in the east of moist and rainy air, while some in the north-west of dry and rainless air, some place even of no flows.

The area of out-flow river basin is 65.2 per cent of our nation, in which 58.2% flow into the Pacific Ocean, 6.4% into the Indian Ocean and 0.6% into the Arctic Ocean. The rest is inland river basin, 34.8%, divided as Xinjiang, Qinghai, Hexi, Qiangtang and Inner Mongolia. Some larger river, such as Talimu river, Yili river and Heihe river, lie in these regions. Some main rivers and basins are listed in table 1.

---

<sup>1</sup> Professor and dean of college of soil and water conservation, Beijing Forestry University

**Table 1 Main rivers in China**

Name	Length km	Basin area km <sup>2</sup>	Name	length km	Basin area km <sup>2</sup>
Yangtze river	6300	1808500	Haihe river	1090	263631
Yellow river	5464	752443	Huaihe river	1000	269683
Heilongjiang river	3420	1620170	Nuanhe river	877	44100
Songhua river	2308	557180	Yalu River	790	61889
Zhujiang river	2214	453690	E'erqisi river	633	57290
Yaluzhangbu river	2057	240480	Yili river	601	61640
Talimu river	2046	194210	Yuanjiang river	565	39768
Lancang river	1826	167486	Min river	541	60992
Nujiang river	1659	137818	Qiantang river	428	42156
Liao river	1390	228960	Zhuoshui river	186	3155

**Note:** Basins with rivers out-flowing into neighbor country are counted from the border, with in-flowing rivers cover the area in our nation and boundary river in neighbor countries. Yellow river basin excluded closed-flowing area.

## 2 Lake

China is a county of abundant lakes, with about 2300 lakes (excluding season lakes) lager than 1 km<sup>2</sup>. The total area occupied 71790 km<sup>2</sup>, storing water 708.8 billion m<sup>3</sup>, including 31.9% of fresh water. The total area of our-flowing river basin is 30650km<sup>2</sup>, with 214.5 billion m<sup>3</sup> of water; others occupy 41140km<sup>2</sup>, with 494.3 billion m<sup>3</sup> of water. They can be classified into 5 lakes region as in table 2.

**Table 2 Lake area and water storage in China**

Lake locality	Lake Area km <sup>2</sup>	Area Percent(%)	Water (billion m <sup>3</sup> )	Freshwater (billion m <sup>3</sup> )	Freshwater percent %
Qingzang plateau	36889	51.4	5182	1035	45.8
Eastern plain	21641	30.2	711	711	31.5
Mongolia-xinjiang plateau	9411	13.1	697	23.5	1.0
Northeast plain & hills	2366	3.3	190	188.5	8.3
Yuan-Guizhou plateau	1108	1.5	288	288	12.7
Others	372	0.5	20	15	0.7
Total	71787	100	7088	2261	100

### (3) Glacier

China has the most glaciers located in mid or lower latitude in the world. The total area is generally counted to 58650 km<sup>2</sup>, storing water 5132 billion m<sup>3</sup>, most of which located in Xizang and Xinjiang provinces, and mainly are continental glaciers.

#### 1.1.2 Quantity assessment

The total average rainfall is  $6.2 \times 10^{12}$  m<sup>3</sup> annual, amounting to 648mm high in China, which is 20% lower than the globe level and 44% of that form into flows. The total river flows is  $27115 \times 10^{12}$  m<sup>3</sup>, amounting to 284mm high. For current conditions, the average underground water is  $8288 \times 10^8$  m<sup>3</sup>. Except for reused surface water and underground water, our total water resource is  $2.8 \times 10^8$  m<sup>3</sup>. Considering inflowing water ( $1.72 \times 10^{10}$  m<sup>3</sup>) and that produced in our nation ( $2.7 \times 10^{12}$  m<sup>3</sup>), we have  $2.7 \times 10^{12}$  m<sup>3</sup> available annually (Table 3 listed in detail).

**Table 3 Water amount flowing in and out**

Districts	Local river ( $\times 10^8$ m <sup>3</sup> )	Flowing in ( $\times 10^8$ m <sup>3</sup> )	Total ( $\times 10^8$ m <sup>3</sup> )	Flowing out ( $\times 10^8$ m <sup>3</sup> )	Flowing into sea ( $\times 10^8$ m <sup>3</sup> )	Consumed ( $\times 10^8$ m <sup>3</sup> )	Consumed/available %
Out-flowing	25951	81	26032	7185	17148	1699	6.5
In-flowing	1164	91	1255	135	95	1025	81.6
The total	27115	172	27287	7320	17243	2724	10.0
%	99.4	0.6	100	26.8	63.2	10.0	

## 1.2 Water resource utilization in china

### 1.2.1 Water usage

The total water usage is  $1.03 \times 10^{11}$  m<sup>3</sup> in 1949, but it doubled in the after 10 years. In 1980, the usage is  $4.4 \times 10^{11}$  m<sup>3</sup>, which is 3.3% larger than that of 1965; and the usage in 1993 is 1.2%

larger than that of 1980. In 1997, the total water usage reach  $5.6 \times 10^{11} \text{ m}^3$ , which is 1.7% larger than that of 1993.

### 1 Eco-environment

In the west of arid, semi-arid and semi-humid area, for water shortage, urban industry and agro-construction place a great pressure on eco-environment. The total available water is  $8.31 \times 10^{10} \text{ m}^3$  in Xinjiang province, Hexi Corridor and Caidamu basin, in which  $4.5 \times 10^{10} \text{ m}^3$  is consumed by eco-environment, that is 54%.

### 2 Agro-construction

In 1993, the total effective irrigation area is  $7.46 \times 10^8$  acre. But water consumed by forestry, husbandry and fishery increased fast in recent years, from  $1.19 \times 10^{10} \text{ m}^3$  in 1980 to  $3.05 \times 10^{10} \text{ m}^3$  in 1999. However, the irrigation area and agriculture water usage per person decreased from 0.74 acre and  $375 \text{ m}^3$  in 1980 to 0.64 acre and  $307 \text{ m}^3$  in 1999.

#### 1.2.2 Water supplication

According to the statistic of the Water Resource Ministry, the national water supplication capability is  $5640 \text{ m}^3$  of water conservancy. In 1980 and 1993, the practical supplication are  $4.4 \times 10^{11} \text{ m}^3$  and  $5.2 \times 10^{11} \text{ m}^3$ , the average increasing rate is 1.27% in the past 17 years, while the correspond increasing rate of GDP is 9.53%, the water supplication elasticity coefficient is 0.13, which is obviously lower than other developing countries (0.20~0.30). After 1993, the increase of supplication speeds up. The average increment reaches  $1.0 \times 10^{10} \text{ m}^3$ , and the elasticity coefficient is about 0.20 during 1993~1997. And the supplications rise up to  $5.6 \times 10^{11} \text{ m}^3$ ,  $5.4 \times 10^{11} \text{ m}^3$ ,  $5.6 \times 10^{11} \text{ m}^3$  during 1997~1999.

As for the source of supplication, it more and more relies on underground water. There are  $6.2 \times 10^{10} \text{ m}^3$  of available underground water in 1980, and it rise to  $1.03 \times 10^{11} \text{ m}^3$  in 1997,  $1.08 \times 10^{11} \text{ m}^3$  in 1999.

The water resources exploration rate is 16.1% in 1980, and it rise to 18.9% in 1993, 19.9% in 1997 and 1999. But it is 50% in 1997 in the north of china, which has led to some eco-disasters as river cutoff, lake dry and water table sink. Though it is relative lower in south of china, water pollution should also be cared.

### 1.3 Trend of water supply and development

#### 1.3.1 Prediction of water requirement

Water requirement includes GDP and eco-environment water requirement. From the view of the whole nation, it will meet its summit of  $7.0 \sim 8.0 \times 10^{11} \text{ m}^3$  in 2050 (See Table 4), and  $457 \text{ m}^3$  per person.

**Table 4 Total water requirement for GDP Unit  $\times 10^8 \text{ m}^3$**

Situation	Year	Songliao river	Haihe river	Huaihe river	Yellow river	Yangtze river	Zhujiang river	Rivers in southeast	Rivers in southwest	Rivers in-land	Total
Current	1997	626	466	680	429	1752	835	297	91	538	5714
High	2010	745	498	747	495	2116	935	325	109	621	6591
	2030	807	561	853	571	2551	1058	362	133	677	7573
	2050	839	587	897	605	2760	1109	373	159	708	8036
Normal	2010	732	492	733	480	2045	916	319	107	601	6424
	2030	759	539	815	535	2341	1006	345	127	652	7119
	2050	767	556	839	545	2429	1021	353	145	664	7319
Low	2010	698	488	729	478	2012	899	315	105	581	6305
	2030	711	527	799	523	2252	976	336	125	631	6880
	2050	706	537	816	530	2327	987	340	142	642	7027

Comparing with the current water situation, the general trend of water requirement is that agriculture need less water, but industry and domestic need more water. The rate for agriculture, industry and domestic is 57 27 16 in 2050.

#### 1.3.2 Water supplication ability

We have developed  $5.6 \times 10^{11} \text{ m}^3$  of water resources now, resting  $3000 \times 10^{11} \text{ m}^3$  mainly in the south of our country. There are not more than  $5.0 \times 10^{10} \text{ m}^3$  in the north, three quarter of which is from Nenjiang river, Songhuajian river and some international river in Xinjiang province.

By the middle of 21 century, there are  $9.0 \times 10^{11} \text{ m}^3$  of water available. And it is potential to get more than  $5.7 \times 10^{10} \text{ m}^3$  of available water in south china, amount to 65% of the total.

### 1.3.3 Water balance analysis

We have  $1.3 \times 10^{10} \text{ m}^3$  of water shortage by 2030, and that will be balanced by 2050. The rate of water exploitation will get to 24.5% in 2030, and 25.4% in 2050. The water balances of each watershed are listed in table 5.

**Table 5 Watershed water supplication and requirement in 2030 and 2050 (unit:  $\times 10^8 \text{ m}^3$ )**

Year	District	Local supplication	Input	Output	Available	Usage	Rate %	Requirement	Shortage	Rate %
2030	Whole	6640	350	350	6990	6800	24.7	7119	129	1.8
	Songliao river	746			746	721	37.4	759	13	1.8
	Hainuan river	352	135		487	311	73.8	539	52	9.7
	Huaihe river	644	130		774	600	62.4	815	41	5.1
	Yellow river	443	85	30	528	443	59.6	535	7	1.3
	Yangtze river	2340		320	2340	2647	27.5	2341	1	0
	Zhujiang river	1005			1005	989	21.0	1006	1	0.1
	River in southeast	344			344	328	16.7	345	1	0.2
	River in southwest	126			126	126	2.2	127	1	0.6
	River inland	640			640	635	48.7	652	12	1.8
	Northern 5 parts	2825	350	30	3175	2710	50.6	3301	126	3.8
Southern 5 parts	3815		320	3815	4090	18.5	3818	3	0.1	
2050	Whole	6850	450	450	7300	7050	25.6	7319	19	0.3
	Songliao	766			766	733	38.0	767	1	0.1
	Hainuan	364	190		554	311	73.8	556	1	0.3
	Huaihe	673	165		838	606	63.1	839	1	0.1
	Yellow river	448	95	30	543	439	59.0	545	2	0.3
	Yangtze river	2428		420	2428	2833	29.5	2429	0	0.1
	Zhujiang	1020			1020	1003	21.3	1021	0	0.0
	River in SE	353			353	335	17.0	353	0	0.0
	River in SW	144			144	144	2.5	145	1	0.0
	River inland	654			654	646	49.35	664	10	1.6
	Northern 5 parts	2905	450	30	3355	2735	51.0	3371	16	0.5
Southern 5 parts	3945		420	3945	4315	19.5	3948	3	0.1	

**Note:** The amount of input and output include current exchanges. Usage is only for local one, excluding resourceful supplication.

## 2 Water related disasters in China

### 2.1 Flood

#### 2.1.1 Types and classification

Because of rainstorm or abrupt ice melt as well as water conversancy accident, the water flood in rivers or lakes rapidly, breaking up dams or cannels, which is flood disaster.

It can be classified by reason: rain flood , melt flood and project accident flood (as in table 6). However, the rain flood is most seen with the largest scale.

**Table 6 Flood types**

Types	Kinds
Rain flood	Rainstorm, continued rains, typhoon, prolonged waterlogged
Melt flood	High mountain ice melt, season melt, ice block in cannel, ice burst
Project accident flood	Dam burst river bank burst

According to torrent coverage and duration, flood is classified into 5 grades as in table 7.

#### 2.1.2 Main features of flood in China

Alluvial plains in the east and south of china is the most serious areas hit by flood , the total area is about  $7.38 \times 10^5 \text{ km}^2$ , occupying 8% of our land, but almost half of our population

**Table 7 Flood classification according to coverage and duration**

Grades	Coverage $\times 10^4$ km <sup>2</sup>	Duration day
I	<0.01	<2
II	0.01-0.1	2-4
III	0.1-1	4-7
IV	1-10	7-12
V	>10	>12

condense here, contributing to 2/3 of our gross value of industry and agriculture. Large scale and long time of heavy rainstorm is the generally reason for flood . Influenced by hesitate subtropical high pressure in summer, tropical windstorm and provoking typhoon, rainstorm in transmit of hills and plain is the major source of flood . The largest rainstorm reaches 1000 mm during 24h in east china. In Yellow river watershed and its northern parts, a heavy rainstorm can last 2~7d, covering 3~7 $\times 10^4$  km<sup>2</sup>, total rainfalls is 1.0~5.5 $\times 10^{10}$  m<sup>3</sup>.

The flood disasters in recent 11 years are listed in table 9.

## 2.2 Drought

### 2.2.1 Grades of drought

Drought grades are often classified by rainfall horizon rate ( $H_R$ ) presently, which counted by many years of rainfall records (see table 8).

**Table 8 Grades of drought**

	Drought	Heavy drought	Especially heavy drought
Continuous 3 months	-25—-50	-50—-80	Duration more than 2 years, covering more than 1 province
Continuous 2 months	-50—-80	More than-80	
Continuous 1 months	-80		

### 2.2.2 Features

Drought is a major disaster of our nation. Comparing to other natural disasters, it has larger coverage, longer duration, and bigger loss. According to data, the disaster area and food loss is increasing due to drought. The disaster area and food loss rise from 1.74 $\times 10^8$  acre and 4.35 $\times 10^6$  ton to 4.1 $\times 10^8$  acre and 2.45 $\times 10^6$  ton. The drought coverage spread from north to south, from west to east, and the duration extend from single year, season and month to continuous year, season and month. The drought not only affects agriculture, but also forestry, husbandry, industry and even whole economic development, resulting into worsen eco-environment. One reason is of little rainfall, the other is that social economic development has an increasing need and dependence of water, but decreasing disaster resistance.

The drought disasters in recent 11 years are listed in table 9.

**Table 9 General situation of flood and drought disaster in recent 11 years**

year	Flood area $\times 10^4$	Drought area $\times 10^4$	Economic loss $\times 10^8$ RMY	Dead people	Food loss $\times 10^4$ ton	Crop production $\times 10^4$ ton
1991	2459.6	2491	779.08	5133	1180	43529
1992	942.3	3298	412.77	3012	2100	44266
1993	1638.7	2110	641.74	3499	1120	45648
1994	1885.9	3028	1796.6	5340	2620	44510
1995	1436.7	2346	1653.3	3852	2300	46662
1996	2040.0	2015	2208.36	5840	980	50453
1997	1313.5	3351	930.11	2799	4760	49418
1998	2229.2	1424	2550.9	4150	1270	51230
1999	960.5	3015	930.23	1896	3333	50838
2000	904.5	4054	711.63	1942	5996	46218
2001	717.8	3400	667	1450	5340	45260

### 2.3 Soil and water loss

The 2<sup>nd</sup> remote sensing investigation shows that the area affected by soil erosion is 3.56 million km<sup>2</sup> at the end of the 1990's, of which: 1.65 million km<sup>2</sup> is water erosion, 1.91 million km<sup>2</sup> is wind erosion, and 0.26 million km<sup>2</sup> is affected by the both. Areas affected by water and soil erosion are listed in the following table.

**Table 10 Area affected by water and wind erosion by provinces (Unit: km<sup>2</sup>)**

Province	Area affected by water erosion	Area affected by wind erosion	Total
Beijing	4,383	0	4,383
Tianjin	463	0	463
Hebei	45,662	8,295	62,957
Shanxi	92,863	0	92,863
Inner Mongolia	150,219	594,607	744,826
Liaoning	48,221	2,333	50,554
Jilin	19,296	14,278	33,574
Heilongjiang	86,539	8,907	95,446
Shanghai	0	0	0
Jiangsu	4,105	0	4,105
Zhejiang	18,323	0	18,323
Anhui	18,775	0	18,775
Fujian	14,832	87	14,919
Jiangxi	35,106	0	35,106
Shandong	32,432	3,555	35,987
Hennan	30,073	0	30,073
Hubei	60,843	0	60,843
Hunan	40,393	0	40,393
Guangdong	11,010	0	11,010
Guangxi	10,369	4	10,373
Hainan	205	342	547
Sichuan	150,400	6,121	156,521
Guizhou	73,179	0	73,179
Yunnan	142,562	0	142,562
Tibet	62,744	49,893	112,637
Chongqing	52,040	0	52,040
Shaanxi	118,096	10,708	128,804
Gansu	119,370	141,969	261,339
Qinghai	53,137	128,972	182,109
Ningxia	20,907	15,943	36,850
Xinjiang	115,425	920,726	1,036,151
Taiwan	7,844	0	7,844
Total	1,648,816	1,906,740	3,555,556

**Table 11 Dynamics of water and wind erosion Unit  $\times 10^4$  km<sup>2</sup>**

Grades	Water erosion					Wind erosion				
	End of 1980s		Beginning of 1990s			End of 1980s		Beginning of 1990s		
Slight			83					79		
Moderate	Worse		55	Worse		Worse		25	Worse	
Intensive	than	Worse	18	than	Worse	than	Worse	25	than	Worse
Extremely	moderate	than	6	moderate	than	moderate	than	27	moderate	than
intensive	88	intensive		82	intensive	94	intensive		112	intensive
Severe			3		27		66	35		87
total		179		165		188			191	

Soil and water loss is widely distributed in china, both in mountainous, hilly, sandy areas and plains, coast area. The area is up-rise from the east to the west: the water erosion area is  $4.9 \times 10^5$  km<sup>2</sup> in the central china, and  $1.07 \times 10^6$  km<sup>2</sup> in the west china. The area affected by both water and wind mainly lies along the Great Wall and the crisscross of agriculture and husbandry.

By the force of erosion, it includes water, wind, freeze and gravity power. Water is the dominant erosive force in the northeast (where the gently undulating terrain is associated with black soils), the Loess Plateau in the northwest, the red hilly region of the south and in other

rock earthy regions of the north and the south. Localized mass movements including landslide and slurries also occur to a lesser extent in the afore mentioned regions. Frost-thaw erosion is dominant on the Qinghai-Tibet Plateau, while wind erosion occur in the northwest semi-arid area where agriculture and husbandry activities coexist. In this region wind erosion is the dominant force in winter and spring while water erosion occurs mainly in summer and autumn.

Statistical data shows that China loses approximately 5 billion tons of soil annually. Within the Yangtze River basin, the soil loss is as high as 2.4 billion tons a year, and 1.56 billion tons are from its upper and middle reaches. In Yellow River basin, 1.6 billion tons of sediment is transported into this river from the Loess Plateau a year, particularly in the basin area between Hekou in Inner Mongolia and Longmen in Henan, more than 70,000 km<sup>2</sup> are contributed. The rate of soil erosion is more than 10,000 tons per km<sup>2</sup>, and some even as high as 30,000~50,000 tons per km<sup>2</sup>. The sediment produced by this area accounts for more than half of that transport into the Yellow River.

## 2.4 Pollution

### (1) Current situation of rivers

Chinese rivers are generally polluted. Among them, the Yangtze river receive the most waste water, almost 34.2% of the total in 1999, and the second is Zhujiang River. Water quality assessments at different stages are listed in table12.

**Table 12 Chinese rivers water quality assessment**

Year	length km	Percentage of different polluted degree (%)					
		I	II	III	IV	V	>V
1980	89395	43.5[1]	35.8	8.1	7.7	4.9	
		56.1[2]	21.9	7.1	13.7	1.9	
1991	98614	6.1	26.1	21.3	27.6	8.3	10.6
1998	109703	5.4	24.4	33.0	13.7	6.6	16.9
1999	113600	5.5	24.5	32.4	12.6	7.8	17.2

**Note:** 1. [1] is the result of an assessment of organic pollution, [2]is an assessment of five poisons.

2. III、IV、V are adopted for polluted river length in 1980, and for 1991~1999, a new standard is adopted as IV、V and >V.

According to national GB3838-88 *surface water environment assessment standard*, about 700 rivers, that is 0.1 million long, are assessed in 1991, the monitoring result shows that 47% of length is polluted to more than IV. The water resources bulletin of 1999 shows the length of polluted river descend to 37.6%, but seriously polluted river rises 6.6% in length.

Water quality varies in different district. Lower reaches are worse than upper reaches, trunks is better than branches, and the river through cities is worst polluted. Water quality is generally better in south and central or west of china than that in the north and east.

In 55,000 km length of rivers, 23.3% of them are poison for irrigation, 45% of them have no fishes, and 85.9% of them is not better than the III class. Eco-functions are degraded heavily.

Rivers in cities are polluted even worse. For 1999, in 141 national monitoring cities, 63.8% of rivers are seriously polluted, especially in Liaohe basin, Haihe basin and Huaihe basin.

The water quality in our seven main river basin are showed in table 13.

### (2) Current situation of lakes

During 1986~1989, the over-nutritious lakes rise to 35.76% of 34 lakes investigated. And almost all lakes live in over-nutritious condition in 1990s. Large fresh lakes and urban lakes are all polluted. Dianchi lake is seriously polluted by N and P, it is typically over-nutritious. And the blue-green algae is overabundant, where water quality is worse than V class. The Caohu lake is of the same condition. The organism is comparatively less in Taihu lake in recent years, but N and P rose.

### (3) Current situation of underwater

The quality of underwater of cities deteriorates in recent 20 years. In 1998, we have

**Table 13 Chinese water quality by basins**

	Water quality class	Percentage of the total% (1997)	Pollutants	Percentage of the total% (1998)
Yangtze river	III or better than III	67.7	Phenol COD	75
Yellow river	IV	66.7	NH <sub>4</sub> Phenol COD	74
Zhujiang	III or better than III	52	NH <sub>4</sub> Hg, COD	72
Huaihe	Worse than V in 1 <sup>st</sup> branch	52	COD	Worse than V in the trunk, 48
	Worse than V in 2 <sup>nd</sup> an3rd branches	71		
Haihe	V, worse than V	50	NH <sub>4</sub> COD	62
Liaohu	Worse than V	50	NH <sub>4</sub> Hg Phenol COD	61.4
Songhuaqiang	IV	70.6	Phenol COD	67

investigated 118 cities, in which 115 cities has polluted underwater. The indicators we used include Hardness, Nitrate, NH<sub>4</sub>, Organism, Chromium and Phenol. Most of them have increased hardness and Nitrate. Some of them affected by petroleum matters, and some underwater has “three cause” organic compounds.

### 3 High agro-environment education in China

In 2000, our high agro-forestry schools reduced from 65 to 50, including 44 agricultural universities and 6 forestry ones, and the disciplines are also adapted from 38 to 15. There are 248217 students in normal agro-forestry high school now, which is 4.24% of the whole high school students. Our developing aim is to keep a rising speed of 14% annually for agro-forestry high education during “Ten Fives”. The gross students in agro-forestry high school will be 477,000 in 2005, where undergraduate student are 273,000, graduate student are 27,000. This kind of cultivation will be more popularized in 2010, and student population in these schools will be 736,000.

Our cultivation contents for undergraduate students include philosophy, economics, legislation, pedagogy, literary, history, science, engineering, agronomy, medicine and administration. This category consists of 71 2<sup>nd</sup> class and 249 disciplines. The high agro-environment education mainly devote to science, engineering and agronomy see table 14 .

**1 Soil and water conservation.** By 1998, this discipline has been set up in 14 schools following Beijing Forestry College in 1958. By partial statistic, they have trained about 4000 undergraduate students. During 1980~1998, 200 students have got master degree, and 50 for doctor degree. In 1960, the first discipline of combating desertification has been set up in Inner Mongolia Forestry College, and they have trained 2800 undergraduate students and 29 graduate students in this area now.

**2 Agricultural resource and environment.** By 1995, there are 106 professional environmental disciplines in 86 schools in mainland, and 193 for undergraduate students in 135 schools, including environmental science, ecology, environmental project, environmental monitoring, plan and management, agriculture environment protection. There are 189 master positions in 150 high schools and 39 institutes, and 48 doctor positions in 39 high schools and 9 institutes. And there are also 8 postdoctoral moving stations. By now, they have trained about 30,000 students.

**3 Horticulture.** The Beijing Forestry University has train 2000 students in this discipline since 1950s, and we have 200 master and doctor of horticulture now. For recent years, we recruit 1000 of this discipline every year. This discipline has abundant student source and promising needing market.

**Table 14 Disciplines of high agro-environment education**

Category	Class	discipline
Science	Geography	Geography science
		Resource, environment and urban plan
		GIS
	Environment	Environmental science
		Ecology
Engineering	Water conversancy	Water and electric project
		Hydrology and water resources
	Environment and safeguard	Environmental project
Agronomy	Eco-environment	Soil and water conservation and combating desertification
		Agricultural resource and environment
		Horticulture

These graduates above enriched our agro-environmental construction groups, they improved our nations capability for water resources management and water related disaster combating.

#### **4 Features and achievements of forestry education in China**

After a century of development, Chinese forestry education grows up, and a reasonable educational system has been formed, consisted of high education, professional education, adult education and primary education. Main achievements can be concluded:

##### **4.1 Cultivation and research**

The forestry high schools have cultivated 4309 graduated students and 124,300 undergraduate or professional students since 1950s. And our cultivation capability have obviously improved, we have 31 doctor positions, 86 master positions and 6 postdoctoral moving stations. Students on duty are 26.9 times of 1978 now.

Junior forestry professional education is in progress. In 1999, 20 of 60 schools are granted the nation key school. There are 83,000 students on duty in 1999, which is 9.3 times of 1978.

Forestry adult education emphasizes position training and further education. By 2000, there are 13,700 students on duty in senior forestry correspondence school and evening university, which is 50.8 times of 1980. The government agriculture broadcasting school has enrolled 90,000 students since 1978, half of them have graduate and they have become the backbone of the first producing line.

Forestry multi-profession training has a great achievement. During “Nine Fives”, they have trained 15 million of students. Since 2000, this training has sheared to The West Development to improve eco-environment by Natural Forests Protection, Resume Forest or Grassland from Farmland and Combating Desertification. The trainees cover basic leaders, public officials, technical backbones, forestry managers as well as forestry farmers. At the same time, basic construction and institutions are strengthened.

##### **4.2 Academic communication**

Our forestry high school has build up a long term and stable friendship with more than 100 schools or institutes in 20 countries. We have sent as many as 1500 people to study abroad to about 40 countries, and 60% of them returned and became the backbone of cultivation or research. Meanwhile, we have invited more than 3000 foreign experts from 50 countries to china. By this means of academic communication, cooperate research and joint cultivation, our forestry education has stepped out and the world has knew us.

### 4.3 Consulting service

In the past, our farmers have little knowledge. It is difficult for adapting agricultural structure and technology innovation, particularly for spreading new and functional techniques. Speeding professional and adult education improve farmers' ability to master scientific technology. They are more capable for economic development. In addition, agricultural and forestry high schools launch consulting and technological activities every year, providing consulting service for basic production directly. By means of scientific training, technique spreading, technological information report and kinds of negotiation, agriculture and rural life improve quickly.

## 5 Conclusion

(1) We have a severe water resource situation now. Though rainfall is  $6.2 \times 10^{12} \text{m}^3$ , available surface water is only  $2.7 \times 10^{12} \text{m}^3$ , and it distributes unevenly. Water resource exploitation is rising, and increasing water usage of industry and agriculture put a great pressure on eco-environment construction. Our water supply capability is only  $5640 \text{m}^3$  per person annually, and it is mainly from underground water, which has led to ecological degradation. It is predicted that we can meet our water balance in 2050, and the rate of exploitation is 25.4% at that time, the ratio of water usage of agriculture, industry and domestic is 57:27:16.

(2) Flood, drought, soil and water loss and water pollution are dominant water related disasters in China, they have affected our productivity, daily life and the whole eco-environment. In recent 11 years in China,  $1.65 \times 10^8 \text{ha}$  area is flooded, costing us  $1.3 \times 10^{12}$  Yuan (RMB), and  $3.05 \times 10^8 \text{ha}$  area is drought, costing  $3.1 \times 10^8$  ton of food, and nearly  $3.8 \times 10^4$  people died in them. Now, we have  $3.56 \times 10^6 \text{km}^2$  area of soil and water loss, the situation appears overall good but local bad. In recent 50 years,  $4.0 \times 10^7$  acre of land were destroyed by water erosion, and it has become our No.1 environmental problem. Water pollution is comparatively better than before, but it is also severe, the rate of polluted river length to the total assessed one is 37.6%.

(3) China has 44 middle and high agricultural and forestry schools, with 15 corresponding disciplines. Now there are 248,000 students in these schools, distributing in 11 disciplines of science, engineering and agronomy. High agro-environment education exists in soil and water conservation and combating desertification, agricultural resources and environment, horticulture in 53 schools.

(4) Chinese forestry environment education accompanied with water resource and environment related discipline has formed an omnibearing cultivation system, consisting of high education, professional education, adult education and primary education.

## References

- [1] High education department of education ministry, national high school teaching research center. Report of Eco-environmental education reform. High education press 2000
- [2] High education department of education ministry. Encyclopaedia of disciplines for Chinese graduate education. High education press, 2001
- [3] Ministry of water resources People's Republic of China. The proclamation of Soil and Water Loss in China. January, 2002
- [4] Liu Cang-Ming, Chen Zhi-Kai. Assessment of Chinese water resources current situation and analysis of its future balance. Chinese water and electric publishing house, 2001
- [5] Qian Zheng-Ying, Zhang Guang-Dou. Comprehensive and specific reports of Chinese water resources sustainable development. Chinese water and electric publishing house, 2001